

Maxx

ORGANOSILICONE SURFACTANT™

ACTIVE CONSTITUENT: 1020 g/L POLYETHER MODIFIED POLYSILOXANE

A non-ionic wetter/spreader/penetrant for use with ReTain® Plant Growth Regulator and other agricultural pesticides.

GENERAL INSTRUCTIONS:

Maxx Organosilicone Surfactant is an organosilicone based surfactant containing a unique blend of various polymers. Maxx Organosilicone Surfactant is a highly effective wetter/spreader/penetrant.

While Maxx Organosilicone Surfactant has been proven to be a highly efficient surfactant, timing, weather conditions, method of application, and/or mixture with other chemicals not specifically recommended are beyond the control of the seller. Therefore, the user should carefully observe spray deposits, rate efficiencies, compatibilities and effectiveness in initial applications and adjust the adjuvant rate accordingly.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with chemical or used containers.

STORAGE:

Keep out of reach of children. Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight.

DISPOSAL:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

Keep out of reach of children. DO NOT get on skin or on clothing. Causes eye irritation. **DO NOT** get in eyes. Harmful if swallowed. Avoid breathing vapor or mist. Avoid using product in a manner as to directly, or through drift, expose workers or other persons. Always follow the precautionary statements on the label of the pesticide(s) that are to be used with Maxx Organosilicone Surfactant. Applicators and other handlers must wear goggles or a facial splash shield; chemical resistant gloves, such as nitrile rubber ≥ 14 mL or neoprene rubber ≥ 14 mL; coveralls or long

sleeved shirt and long pants; shoes plus socks and mists filtering respirator. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash goggles or face shield, gloves and any contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (ph: 13 11 26). If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a Doctor.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS).

IMPORTANT NOTICE

These goods are to be used only for the purpose and as specified on the label, and are not suitable for any other purpose. To the fullest extent permitted by law, we do not accept or bear any liability on any basis for any loss, damage, cost or expense, arising in any way, directly or indirectly, in connection with the goods.

© Sumitomo Chemical Australia Pty Ltd 2001

™ Trademark of Sumitomo Chemical Australia Pty Ltd

®Registered Trademark of Valent BioSciences Corporation, Libertyville, Illinois, USA

APVMA Approval: 54348/0609

Harmful if inhaled.
Harmful in contact with skin.
Use only outdoors or in a well-ventilated area.

**THIS PRODUCT IS NOT CONSIDERED TO BE
A DANGEROUS GOOD UNDER THE AUSTRALIAN
CODE FOR THE TRANSPORT OF
DANGEROUS GOODS BY ROAD OR RAIL**

**In a Transport
Emergency
Dial 000
Police or Fire Brigade**

**SPECIALIST ADVICE
IN EMERGENCY ONLY
ALL HOURS AUSTRALIA WIDE
1800 024 973**

DIRECTIONS FOR USE - ALL STATES:

SITUATION	RATE (per 100L spray mixture)	CRITICAL COMMENTS
ReTain® Plant Growth Regulator	50 to 100 mL	Refer to ReTain Plant Growth Regulator label for application details.
Fungicides	30 to 60 mL	The use rates of Maxx Organosilicone Surfactant are given as a guide only. Always follow directions of pesticide label where an organosilicone is recommended. DO NOT use if pesticide manufacturer prohibits surfactants.
Insecticides, Miticides	30 to 60 mL	
Foliar Micro-Nutrients	30 to 60 mL	
Herbicides: General Post Emergent General Low Volume Glyphosate, Metsulfuron on Gorse/Bracken Fern on Brushy/Wood Weeds	50 to 100 mL 100 to 200 mL 200 mL 100 mL Hand gun 200 mL Boom spray	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**