

SAFETY DATA SHEET

Pyrocide 50%

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, February 2016

| SECTION 1: Identification: Pro | oduct identifier and chemical identity | |
|--|---|--|
| Product identifier | | |
| Product name | Pyrocide 50% | |
| Relevant identified uses of the | substance or mixture and uses advised against | |
| Application | Insecticide | |
| Uses advised against | No specific uses advised against are identified. | |
| Details of the supplier of the safety data sheet | | |
| Supplier | www.sumitomo-chem.com.au Sumitomo Chemical Australia Pty Ltd Level 5, 51 Rawson Street, EPPING, NSW 2121 (02) 8752 9000 (02) 8752 9099 Reception@sumitomo-chem.com.au | |
| Emergency telephone number | | |
| Emergency telephone | 1800 024 973 (Australia) 0800 243 6225 (New Zealand) | |
| SECTION 2: Hazard(s) identification | | |
| Classification of the substance | e or mixture | |
| Physical hazards | Not Classified | |
| Health hazards | Acute Tox. 4 - H332 Asp. Tox. 1 - H304 | |
| Environmental hazards | Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | |
| Label elements Pictogram | × v | |
| Signal word | Danger | |
| Hazard statements | H304 May be fatal if swallowed and enters airways. H332 Harmful if inhaled. H400 Very toxic to aquatic life. | |

H410 Very toxic to aquatic life with long lasting effects.

| Precautionary statements | P261 Avoid breathing vapour/ spray. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 Call a POISON CENTER or doctor/ physician if you feel unwell. P331 Do NOT induce vomiting. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations. |
|--------------------------|--|
| Contains | Pyrethrin, Distillates (petroleum), hydrotreated light |

Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition and information on ingredients

| Substances | |
|---|--------|
| Pyrethrin CAS number: 8003-34-7 | 50.0% |
| Distillates (petroleum), hydrotreated light CAS number: 64742-47-8 | 30-60% |
| Butylated Hydroxytoluene (BHT) CAS number: 128-37-0 | 5-10% |
| Product name Pyrocide 50% SECTION 4: First aid measures | |

Description of first aid measures

| General information | If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given. Show this Safety Data Sheet to a doctor. |
|---------------------|--|
| Inhalation | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place. |
| Ingestion | Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. |

| Skin Contact | Remove contaminated clothing and rinse skin thoroughly with water. Continue to rinse for at least 15 minutes. Consult a physician for specific advice. | |
|--|---|--|
| Eye contact | Rinse with water. Get medical attention if any discomfort continues. | |
| Protection of first aiders | First aid personnel should wear appropriate protective equipment during any rescue. | |
| Most important symptoms and | effects, both acute and delayed | |
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. | |
| Inhalation | A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness. | |
| Ingestion | May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. | |
| Skin contact | May cause skin numbness / tingling May cause temporary facial numbness (Paraesthesia). | |
| Eye contact | No specific symptoms known. May be slightly irritating to eyes. | |
| Indication of any immediate medical attention and special treatment needed | | |
| Notes for the doctor | Treat symptomatically. Paraesthesia can be treated with vitamin E. | |
| SECTION 5: Firefighting meas | sures | |
| Extinguishing media | | |
| Suitable extinguishing media | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. | |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. | |
| Special hazards arising from the | he substance or mixture | |
| Specific hazards | Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic. | |
| Hazardous combustion products | Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. | |
| Advice for firefighters | | |
| Protective actions during firefighting | Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. | |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents. | |
| Hazchem Code | 3X | |
| | | |

SECTION 6: Accidental release measures

| Personal precautions, protective | Personal precautions, protective equipment and emergency procedures | | |
|---|---|--|--|
| Personal precautions | Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. | | |
| Environmental precautions | | | |
| Environmental precautions | Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. | | |
| Methods and material for conta | ainment and cleaning up | | |
| Methods for cleaning up | Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13. | | |
| Reference to other sections | | | |
| Reference to other sections | For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. | | |
| SECTION 7: Handling and sto | rage, including how the chemical may be safely used | | |
| Precautions for safe handling | | | |
| Usage precautions | Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. | | |
| Advice on general occupational hygiene | Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. | | |
| Conditions for safe storage, in | cluding any incompatibilities | | |
| Storage precautions | Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. | | |
| Specific end use(s) | | | |
| Specific end use(s) | The identified uses for this product are detailed in Section 1 | | |
| SECTION 8: Exposure control | s and personal protection | | |
| Control parameters | | | |
| Ingredient comments | Safework Australia Workplace Exposure Standards: Pyrethrum = 5 mg/m3 (TWA) Butylated Hydroxy Toluene (BHT) = 10 mg/m3 (TWA) | | |
| Exposure controls | | | |

Protective equipment



| Appropriate engineering controls | Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients. |
|----------------------------------|---|
| Eye/face protection | Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. |
| Hand protection | Avoid contact with skin. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. |
| Other skin and body protection | Wear appropriate clothing to prevent any possibility of skin contact. |
| Hygiene measures | Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product. |
| Respiratory protection | Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. |
| Environmental exposure controls | Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

| OLOTION 9.1 Hysical and | ocorrion s. Enysical and chemical properties | |
|---|--|--|
| Information on basic physical and chemical properties | | |
| Appearance | Clear liquid. | |
| Colour | Amber. | |
| Odour | Mild solvent odour | |
| Flash point | 69.4°C TCC (Tag closed cup). | |
| Vapour pressure | 2x10-5 - 4x10-7 mm Hg @ 25°C | |
| Relative density | 0.921 @ 20°C | |
| Solubility(ies) | Immiscible with water. | |
| Viscosity | 19.3 cP @ 22.7°C | |
| SECTION 10: Stability and reactivity | | |
| Reactivity | There are no known reactivity hazards associated with this product. | |
| Stability | Stable at normal ambient temperatures and when used as recommended. Stable under the | |

prescribed storage conditions.

| Possibility of hazardous reactions | No potentially hazardous reactions known. |
|-------------------------------------|---|
| Conditions to avoid | There are no known conditions that are likely to result in a hazardous situation. |
| Materials to avoid | No specific material or group of materials is likely to react with the product to produce a hazardous situation. |
| Hazardous decomposition products | Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. |

SECTION 11: Toxicological information

| Information on toxicological effects | | |
|--|--|--|
| Notes (oral LD₅₀) | LD₅₀ = 2,370 mg/kg, , Rat | |
| Notes (dermal LD ₅₀) | LD₅₀ : >2000 mg/kg, , Rat | |
| Notes (inhalation LC₀) | LC₅₀ : >3.4 mg/l, , Rat, (4 h) | |
| Skin corrosion/irritation Animal data | Slightly irritating. (Rabbit) | |
| Serious eye damage/irritation | | |
| Serious eye damage/irritation | Slightly irritating. (Rabbit) | |
| Respiratory sensitisation | | |
| Respiratory sensitisation | Based on available data the classification criteria are not met. | |
| Skin sensitisation | | |
| Skin sensitisation | Not sensitising. (Guinea pig) | |
| Germ cell mutagenicity | | |
| Genotoxicity - in vitro | Based on available data the classification criteria are not met. | |
| Carcinogenicity | | |
| Carcinogenicity | Based on available data the classification criteria are not met. | |
| IARC carcinogenicity | None of the ingredients are listed or exempt. | |
| Reproductive toxicity | | |
| Reproductive toxicity - fertility | Based on available data the classification criteria are not met. | |
| Reproductive toxicity - development | Based on available data the classification criteria are not met. | |
| Specific target organ toxicity - | single exposure | |
| STOT - single exposure | Not classified as a specific target organ toxicant after a single exposure. | |
| Specific target organ toxicity - repeated exposure | | |
| STOT - repeated exposure | Not classified as a specific target organ toxicant after repeated exposure. | |
| Aspiration hazard | | |
| Aspiration hazard | Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonitis may be the result if vomited material containing solvents reaches the lungs | |
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. | |

| A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. No specific symptoms known. No specific symptoms known. Ingestion Inhalation Skin and/or eye contact No specific target organs known. |
|--|
| swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. No specific symptoms known. No specific symptoms known. Ingestion Inhalation Skin and/or eye contact No specific target organs known. |
| No specific symptoms known. Ingestion Inhalation Skin and/or eye contact No specific target organs known. |
| Ingestion Inhalation Skin and/or eye contact No specific target organs known. |
| No specific target organs known. |
| |
| |
| rmation |
| Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. |
| LC₅₀, 96 hour: = 5.2 µg/L, Onchorhynchus mykiss (Rainbow trout) |
| |
| The degradability of the product is not known. |
| |
| No data available on bioaccumulation. |
| |
| No data available. |
| essment |
| |
| None known. |
| derations |
| |
| The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous. |
| Triple or preferably pressure rinse containers before disposal. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product. |
| |

SECTION 14: Transport information

General

Not a dangerous good according to ADG code 7

UN number

3082

UN proper shipping name

Environmentally Hazardous Substance, Liquid, N.O.S. (pyrethrin)

3X

Transport hazard class(es)

9

Packing group

Ш

Environmental hazards

Special precautions for user

Hazchem Code

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Inventories

Australia - AICS Not applicable

SECTION 16: Any other relevant information

| Training advice | Only trained personnel should use this material. |
|---------------------------|---|
| Revision date | 12/10/2016 |
| Revision | 1 |
| SDS No. | 4718 |
| Hazard statements in full | H304 May be fatal if swallowed and enters airways.H332 Harmful if inhaled.H400 Very toxic to aquatic life.H410 Very toxic to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.